

CAR WASH

GAR WASH

TOROCIA, NUMETRO, WE AND BOT RESPONSIBLE FOR AUXIMMENTS THAT MARK MAT BEEN FACTORY METALES, IMBUELT OF RESIDEN, AND ANY LODGE MELAND.





Visit our website for the latest updates on products and resources.



COMPLETE INDEX & PRICE LIST REFERENCE

ALASKA POLYCARBONATE DOOR

Alaska Door Package with Strapeze System	Page 3
Alaska Door Package with Torsion Springs	Page 4
Alaska Polycarbonate Door Sections	Page 5

HARDWARE FOR ALASKA DOORS

Strapeze Counterbalance System	Page 7-8
Torsion Springs	Deere O
Track	Page 13-14
Drums & Cable	Page 15
Hinges & Kits	Page 16-18
Rollers & Kits	Page 19
Bearings & Bearing Plates	Page 20-21
Weatherstrip	Page 22
Miscellaneous	Page 23

MAGNAGLIDE AIR OPERATOR

Magnaglide Horizontal Mount	Page 25-26
Magnaglide Vertical Mount	Page 27-28

POWERGLIDE AIR OPERATOR

Powerglide Air Opener	Page 31-32
-----------------------	------------

ORIGINAL AIR OPERATOR

Original Air Opener..... Page 34-35

CONTROLS - AIR OPERATORS

Control Boxes..... Page 37-38

ACCESSORIES - AIR OPERATOR

Control Components	Page 39-40
Valves	Page 41
Photo Eyes	Page 42-43
Fittings	Page 44

HEATERS

Infra Red Heaters	Page 45-46
Infra Red Heater Replacement Parts	Page 47

FORMS & TERMS

Alaska Door Shop Drawings & Forms	Page 49-52
Air Operators Shop Drawings	Page 53-55
Warranties	Page 56
Credit Requirements	Page 57
Credit Application	Page 58
Terms	Page 59

Experience Matters:

Airlift Doors, Inc. has been a leader in the commercial door business for over 30 years.

We have been manufacturing air powered openers since 1979 and polycarbonate doors since 1991. We are proud to offer a wide variety of products to meet our customer's needs.

We specialize in car care applications such as car washes, service bays, car dealerships, oil change bays, salt storage sheds, and vehicle showrooms.

We have a strong distributor network set up across the United States and Canada with a presence worldwide.

Call one of our experienced sales staff today and see how Airlift Doors, Inc. can help you find the right products and services today!

AIRLIFT DOORS, INC.

Our Mission:

We take pride in the quality of our products and guarantee that no other manufacturer stands behind their products and warranties like we do. With the most options available in the industry, we are sure to help you find the right door and opener for your wash or bay.

Our Promise:

All standard size doors and openers are guaranteed in stock with the shortest lead times in the industry.

Our customers are important to us and we are there to assist them in every way with technical support available 24 hours a day, 7 days a week.

1-888-368-4403 www.AirliftDoors.com


PAGE 1

Strong, Durable, Dependable.

The Alaska Polycarbonate Door is not your typical overhead door...

Strength.

The **Alaska** door can withstand **200** times the impact of a glass door while maintaining only 1/8 the weight.





Durability.

Designed for carwash environments

- -Heavy Duty, Corrosion Resistant Hardware
- -5/8" Five Wall Polycarbonate Panels Standard
- -Full Vision Panels Available

Dependable.

We take pride in the quality of our products and will guarantee that no other manufacturers stand behind their products and warranties like we do.



www.AirliftDoors.com

Toll Free: 1-888-368-4403



Door Packages



Alaska Polycarbonate Door Package with Strapeze® Counterbalance System



Airlift Doors Exclusive Strapeze[®]Counterbalance System

Recommended for Automated Doors Average life cycle = 500,000 cycles Available for doors up to 14' x 12' Patented by Airlift Doors, Inc.

Zero maintenance and low cost strap replacement!



Anodizing Upgrade Available
1/4" Full Vision Panel Upgrade Available
Plastic or Stainless Steel Track Upgrade

The Alaska® Door includes:

- -Strapeze Counterbalance System
- -5/8" five wall polycarbonate panels
- -Sloped mill finish aluminum rails
- -5/32" stainless steel cables
- -3" continuous angle galvanized track
- -3" superglide bearingless or sealed bearing rollers with stainless steel stems
- -Nickel plated winding hubs
- -Astragal & retainer for bottom section
- -Mill finish aluminum end stiles
- -Mill finish aluminum center stiles

STANDARD ALASKA PACKAGE with Strapeze[®]Counterbalance System

ALASKA EXTREME PACKAGE

with Strapeze Counterbalance System



Door Packages

Alaska Polycarbonate Door Package with Torsion Springs



Recommended for Manual or Automated Doors Available for doors of various sizes up to 24' wide. Galvanized or Stainless steel springs available.

> Commercial rated and built to last in a carwash environment!



Anodizing Upgrade Available
1/4" Full Vision Panel Upgrade Available
Plastic or Stainless Steel Track Upgrade

The Alaska Door includes:

- -100,000 cycle torsion spring
- -5/8" five wall polycarbonate panels
- -Sloped mill finish aluminum rails
- -5/32" stainless steel cables
- -3" continuous angle galvanized track
- -3" superglide bearingless or sealed bearing rollers with stainless steel stems
- -Nickel plated winding hubs
- -Astragal & retainer for bottom section
- -Mill finish aluminum end stiles
- -Mill finish aluminum center stiles


STANDARD ALASKA PACKAGE	ALASKA EXTREME PACKAGE
with Torsion Springs	with Torsion Springs
-11 gauge galvanized steel hinges	-Durahinge plastic hinges or 12 ga. SS hinges
-1" solid galvanized steel shaft	-Stainless steel hinge screws
-Galvanized steel bearing plates	-1" solid stainless steel shaft
-Standard zerk bearings	-Stainless steel bearing plates
-Standard freeway bearings	-Stainless steel zerk bearings
-Standard cable drums	-Stainless steel freeway bearings
-Standard coupler (doors wider than 10')	-E-coat cable drums
*Stainless steel, Plastic, E-coat & Nickel plated hardware upgrades available	-Nickel plated coupler (doors wider than 12')



Polycarbonate Sections



ALASKA POLYCARBONATE SECTIONS ONLY Consult factory for sizes available up to 24' wide.



Carlos and the care with a contract	
PN# D02100SO	10'2 x 08' SECTIONS ONLY
PN# D02101SO	10'2 x 10' SECTIONS ONLY
PN# D02102SO	10'2 x 12' SECTIONS ONLY
PN# D02104SO	10'2 x 14' SECTIONS ONLY
PN# D02120SO	12'2 x 08' SECTIONS ONLY
PN# D02121SO	12'2 x 10' SECTIONS ONLY
PN# D02122SO	12'2 X 12' SECTIONS ONLY
PN# D02124SO	12'2 X 14' SECTIONS ONLY
PN# D02140SO	14'2 x 08' SECTIONS ONLY
PN# D02141SO	14'2 x 10' SECTIONS ONLY
PN# D02142SO	14'2 X 12' SECTIONS ONLY
PN# D02144SO	14'2 X 14' SECTIONS ONLY

1/4" FULL VISION SECTION AVAILABLE IN ALL SIZES (Consult factory for more information.)

INDIVIDUAL FULL INTERMEDIATE SI	and the second second second	INDIVIDUAL POLYC 5 WALL BOTTOM		INDIVIDUAL POLYC 5 WALL INTERMEDIA	
]				
	10'2 x 24"	PN# D03BSO102	10'2 x 24"	PN# D03ISO102	10'2 x 24"
PN# D03FVS122	12'2 x 24"	PN# D03BSO122	12'2 x 24"	PN# D03ISO122	12'2 x 24"
PN# D03FVS142	14'2 x 24"	PN# D03BSO142	14'2 x 24"	PN# D03ISO142	14'2 x 24"

Parts Guide



Airlift Doors, Inc. has patented, innovative technology that has been proven to last in harsh car wash environments.

Strapeze® Counterbalance System (page 7)

The **Alaska** door offers top of the line hardware and quality you can trust from Airlift Doors.



E-coat Drums (page 15)



Durahinge Plastic Hinge (page 16)



We take pride in the quality of our products and will guarantee that no other manufacturer stands behind their products and warranties like we do.



Superglide Rollers (page 19)

Counterbalance S	ARE Strape	eze [®] Airlift Doors, INC.
STRAPEZE® COMPLETE KIT	STRAP ONLY	STRAP W/ SPOOLS
	100	
	PN# D04R11998' AW-B-99-9-32PN# D04R111510' AW-B-115-13-37PN# D04R111611' AW-B-116-53-73PN# D04R114212' AW-B-140-53-73	PN# D04R1216 11' AW-B-116-53-73
Available for doors	STRAP HUB COMPLETE NICKEL PLATED	WEIGHT 5Ib
up to 12' x 12' CALL TO ORDER!	PN# D04R4022	PN# D04R1009
WEIGHT 18.9lb	STRAP ROD	GUIDE TUBE ONLY
PN# D04R1010	PN# D04R1014 18" PN# D04R1015 21" PN# D04R1016 24" PN# D04R1017 26"	PN# D04R1026 10' PN# D04R1027 11' PN# D04R1028 12' PN# D04R1029 13' PN# D04R1030 14'

Airlift doors, inc. St	rapeze® HAI	Counterbalance System
STRAP KIT 6" NP HUBS NO DRUMS	STRAP SADDLE BRACKET	STRAP SPOOL (2 PER KIT)
PN# D04R4001	PN# D04R1012 BRACKET (1 PER KIT) PN# D04R1004 STRAP BOLT 3/8" X 3" (2 PER KIT) PN# D04R1005 STRAP NUT NYLOCK 3/8" (2 PER KIT)	PN# D04R1013
STRAP START SPACER (1 PER KIT)	STRAP PIN 1/4" (1 PER KIT)	STRAP WASHER (9 PER KIT)
		00000
PN# D04R1007	PN# D04R1008	PN# D04R1019
STRAP HALF KEYWAY (1 PER KIT)	STRAP TUBE BRKT ASSY COMP (1 PER KIT)	STRAP DISK 6" PAIR (1 PAIR PER KIT)
PN# D04R1020	PN# D04R1021	PN# D04R1024

www.AirliftDoors.com

Toll Free: 1-888-368-4403



100,000 Cycle Galvanized & Stainless Steel Springs



GALVANIZED TORSION SPRINGS:

- 3 3/4" springs (ID)
- 6" springs (ID)
- Standard winding cones
- Standard stationary cones

STAINLESS STEEL TORSION SPRINGS:

- 3 3/4" springs (ID)
- 6" springs (ID)
- E-coat winding cones
- E-coat stationary cones
- Corrosion resistant

CONSULT FACTORY FOR SPECIFIC SPRING SIZES THAT FIT YOUR DOOR

When ordering Torsion Springs please provide us with the following:

- Door size
- Number of full vision sections
- Measurements from the floor to the shaft of the door
- For non-polycarbonate doors: please provide the weight of the door including the hardware and struts





SHAFTLINE FOR TORSION SPRINGS (SPRINGS & DRUMS SOLD SEPARATELY)



PN# D07R1001GALVANIZED SHAFTLINE FOR SPRINGS 08'-11' W/ STD BEARINGSPN# D07R2001STAINLESS STEEL SHAFTLINE FOR SPRINGS 08'-11' W/ SS BEARINGSPN# D07R2101STAINLESS STEEL SHAFTLINE FOR SPRINGS 08'-11' W/ STD BEARINGSPN# D07R2002STAINLESS STEEL SHAFTLINE FOR SPRINGS 12'-13' W/ SS BEARINGSPN# D07R2102STAINLESS STEEL SHAFTLINE FOR SPRINGS 12'-13' W/ SS BEARINGSPN# D07R2102STAINLESS STEEL SHAFTLINE FOR SPRINGS 12'-13' W/ SS BEARINGS

This Section of Torsion Spring Shaftlines Include:

1" Solid shaft * 2-End bearing plates * 2-Center bearing plates 2-Zerk bearings * 2-Freeway bearings * 2-Shaft spacers * Mounting hardware



PN# D07R1002 GALVANIZED SHAFTLINE FOR SPRINGS 12'-13' W/ STD BEARINGS PN# D07R1003 GALVANIZED SHAFTLINE FOR SPRINGS 14'-20' W/ STD BEARINGS PN# D07R2003 STAINLESS STEEL SHAFTLINE FOR SPRINGS 14'-20' W/ SS BEARINGS PN# D07R2103 STAINLESS STEEL SHAFTLINE FOR SPRINGS 14'-20' W/ STD BEARINGS

This Section of Torsion Spring Shaftlines Include:

1" Solid shaft * 2-End bearing plates * 2-Center bearing plates * 2-Zerk bearings 2-Freeway bearings * 2-Shaft spacers * 1" Shaft Coupler * Shaft keyway * Mounting hardware



Shaftline



SHAFTLINE FOR STRAPEZE[®] COUNTERBALANCE SYSTEM (STRAPEZE[®] COMPONENTS & DRUMS SOLD SEPARATELY)

PN# D07R1004 GALVANIZED SHAFTLINE FOR STRAPEZE 08'-11' W/ STD BEARINGS PN# D07R2005 STAINLESS STEEL SHAFTLINE FOR STRAPEZE 08'-11' W/ SS BEARINGS PN# D07R2105 STAINLESS STEEL SHAFTLINE FOR STRAPEZE 08'-11' W/ STD BEARINGS PN# D07R2006 STAINLESS STEEL SHAFTLINE FOR STRAPEZE 12'-13' W/ SS BEARINGS PN# D07R2106 STAINLESS STEEL SHAFTLINE FOR STRAPEZE 12'-13' W/ STD BEARINGS

> Strapeze Shaftlines for doors up to 12' wide include: 1" Solid shaft * 2-End bearing plates * 2-Center bearing plates 4-Zerk bearings * 2-Shaft spacers * Mounting hardware



PN# D07R1005 GALVANIZED SHAFTLINE FOR STRAPEZE 12'-13' W/ STD BEARINGS PN# D07R1006 GALVANIZED SHAFTLINE FOR STRAPEZE 14' W/ STD BEARINGS PN# D07R2007 STAINLESS STEEL SHAFTLINE FOR STRAPEZE 14' W/ SS BEARINGS PN# D07R2107 STAINLESS STEEL SHAFTLINE FOR STRAPEZE 14' W/ STD BEARINGS

Strapeze Shaftlines for doors OVER 12' wide include: 1" Solid shaft * Shaft coupler * 2-End bearing plates * 3-Center bearing plates 5-Zerk bearings * 2-Shaft spacers * Mounting hardware

AIRLIFT DOORS, INC. Sha	aftline HAF	Polycarbonate Door
FULLY KEYED GALVANIZED SHAFT	FULLY KEYED STAINLESS STEEL SHAFT	KEYWAY 1/4" x 1/4" x 3"
PN# D06R1007 1" x 7' 6" PN# D06R1012 1" x 12'	PN# D06R2008 1" x 08' PN# D06R2012 1" x 12' PN# D06R2014 1" x 14'	PN# D06R1003
SHAFT COUPLER 1" STANDARD	SHAFT COUPLER 1" E-COAT	SPACER SHAFT PVC 3/4*
		\bigcirc
PN# D06R1001	PN# D06R4001	PN# D06R1004
SHAFT LOCK COLLAR 1"	Need Assistance?	
	Not sure what part you need? Call one of Airlift Doors' experienced sales team and they will help you get your order processed quickly!	
PN# D06R1000	1-888-368-4403	



GALVANIZED STEEL TRACK COMPLETE



CONSULT FACTORY FOR 2" TRACK PN# D10R1000 GAL. TRACK 3" x 10' STANDARD RADIUS PN# D10R1100 GAL. TRACK 3" x 10' 1-6" STRAIGHT HIGHLIFT PN# D10R1101 GAL. TRACK 3" x 10' 7-12" STRAIGHT HIGHLIFT PN# D10R1104 GAL. TRACK 3" x 10' BREAKAWAY HIGHLIFT PN# D10R1108 GAL. TRACK 3" x 10' VERTICAL LIFT PN# D10R1200 GAL. TRACK 3" x 12' STANDARD RADIUS PN# D10R1204 GAL. TRACK 3" x 12' BREAKAWAY HIGHLIFT PN# D10R1400 GAL. TRACK 3" x 14' STANDARD RADIUS PN# D10R1400 GAL. TRACK 3" x 14' STANDARD RADIUS

Consult factory for doors under 10' or over 14'. Individual pieces and horizontal or vertical pairs available. Complete track includes vertical & horizontal track and fastener kit.

Airlift Doors, Inc. has been a leader in the commercial door business for over 30 years. AIRLIFT DOORS, INC.

EXPERIENCE

Experience matters. When you need the best, turn to the experts at Airlift Doors, Inc.



Toll Free: 1-888-368-4403

www.AirliftDoors.com



Track Complete HARD Polycarbonate Door

304 STAINLESS STEEL TRACK COMPLETE Complete track includes vertical & horizontal track and fastener kit.

ONLY AVAILABLE IN 3" 5 YEAR WARRANTY

PN# D10R2100 SS TRACK 3" x 10' STANDARD RADIUS PN# D10R2104 SS TRACK 3" x 10' BREAKAWAY HIGHLIFT PN# D10R2108 SS TRACK 3" x 10' VERTICAL LIFT PN# D10R2200 SS TRACK 3" x 12' STANDARD RADIUS PN# D10R2204 SS TRACK 3" x 12' BREAKAWAY HIGHLIFT

Consult factory for doors over 12'.

PLASTIC TRACK COMPLETE- STAINLESS STEEL ANGLE OR GALVANIZED ANGLE

Corrosion resistant, reduces ice build-up, quiet operation!

ONLY AVAILABLE IN 3" 5 YEAR WARRANTY

PN# D10R3101 PLASTIC TRACK 3" x 10' GALVANIZED ANGLE PN# D10R3200 PLASTIC TRACK 3" x 12' GALVANIZED ANGLE PN# D10R5101 PLASTIC TRACK 3" x 10' STAINLESS STEEL ANGLE PN# D10R5200 PLASTIC TRACK 3" x 12' STAINLESS STEEL ANGLE



Consult factory for breakaway highlift plastic track.

LOW CLEARANCE TRACK OPTION

Low clearance track is an exclusive design from Airlift Doors. It allows your door to travel within 4" of the ceiling and any obstacles.

Fit an overhead door where you never thought you could! Available in plastic or galvanized steel.

Consult factory for more information or measurements. (See options in complete door prices.)



HARD A Polycarbonate Door	RE Drums & (Cable AIRLIFT DOORS, INC.
DRUMS PAIR 400-144	DRUMS PAIR 400-54	DRUMS PAIR 5250-18
PN# D12R1001 STANDARD PN# D12R5001 E-COAT	PN# D12R1002 STANDARD PN# D12R5002 E-COAT	PN# D12R1003 STANDARD PN# D12R5003 E-COAT
DRUMS PAIR 5250-54	DRUMS PAIR 5750-120	STAINLESS STEEL CABLE PAIR
		PN# D13R2120 5/32" x 120" PN# D13R2144 5/32" x 144"
PN# D12R1004 STANDARD PN# D12R5004 E-COAT	PN# D12R1005 STANDARD CONSULT FACTORY FOR FULL VERTICAL LIFT DRUMS	PN# D13R2150 5/32" x 150" PN# D13R2165 5/32" x 165" PN# D13R2189 5/32" x 189" PN# D13R2213 5/32" x 213"
STAINLESS STEEL CABLE 5/32" PER FOOT	CABLE SLEEVE 5/32"	CABLE STOP 5/32"
PN# D13R2003	PN# D13R2006	PN# D13R2011

PAGE 15

Toll Free: 1-888-368-4403


www.AirliftDoors.com



Hinges & Kits Rolycarbonate Door

DURAHINGE PLASTIC HINGES

EXCLUSIVE AIRLIFT DOORS DESIGN



AVAILABLE FOR DOORS UP TO 14x12 OR 280 lbs










STAINLESS STEEL HINGES





Toll Free: 1-888-368-4403

www.AirliftDoors.com



Hinges & Kits Relycarbonate Door

GALVANIZED HINGES

PN# D14R1001	HINGE #1
PN# D14R1002	HINGE #2
PN# D14R1003	HINGE #3
PN# D14R1004	HINGE #4
PN# D14R1005	HINGE #5
PN# D14R1006	HINGE #6
PN# D14R1007	HINGE #7
PN# D14R1008	HINGE #8
PN# D14R1009	HINGE #9



Consult factory for hinge sizes greater than #9.

	11: 11: 15: 2
D14R1116 PAIR D14R1114 LEFT ONLY D14R1115 RIGHT ONLY	PN# D14R1119
	D14R1114 LEFT ONLY



PN# D16R1100 3" 08-10 x 08 PN# D16R1101 3" 08-10 x 10 PN# D16R1102 3" 08-10 x 12 PN# D16R1104 3" 08-10 x 14 PN# D16R1120 3" 12-14 x 08 PN# D16R1121 3" 12-14 x 10 PN# D16R1122 3" 12-14 x 12 PN# D16R1124 3" 12-14 x 14 Consult factory for larger doors.





Bearings & Bearing Plates

HEAVY DUTY BEARINGS & BEARING PLATES FOR TORSION SPRINGS OR STRAPEZE SHAFTLINE ASSEMBLIES.

ALL BEARING PLATES AVAILABLE IN GALVANIZED OR STAINLESS STEEL.



HARDWA



GALVANIZED ADJUSTABLE PLATES & BEARINGS



PN# D21R1105 BEARING PLATE GAL END ADJ LH W/STD BRG PN# D21R1205 BEARING PLATE GAL END ADJ LH W/SS BRG PN# D21R1106 BEARING PLATE GAL END ADJ RH W/ STD BRG PN# D21R1206 BEARING PLATE GAL END ADJ RH W/ SS BRG



Bearings & Bearing Plates



STAINLESS STEEL PLATES & BEARINGS



STAINLESS STEEL ADJUSTABLE BEARING PLATES & BEARINGS



PN# D21R2105 BEARING PLATE SS END ADJ LH W/STD BRG PN# D21R2205 BEARING PLATE SS END ADJ LH W/SS BRG PN# D21R2106 BEARING PLATE SS END ADJ RH W/ STD BRG PN# D21R2206 BEARING PLATE SS END ADJ RH W/ SS BRG

INDIVIDUAL BEARINGS



www.AirliftDoors.com

Airlift doors, INC. We	atherstrip H A	RDWARE Polycarbonate Door
WHITE VINYL/VINYL SEAL	ALUMINUM/VINYL SEAL	BRUSH SEAL 2" W/45 DEG. RETAINER
PN# D22R1101 10' PN# D22R1102 12' PN# D22R1103 14' PN# D22R1104 16'	PN# D22R1201 10' PN# D22R1202 12' PN# D22R1203 14' PN# D22R1204 16'	PN# D22R1401 PER FT
WHITE CLIP SEAL	BLACK CLIP SEAL	ASTRAGAL RETAINER
		PN# D20R1000 08'2" PN# D20R1001 10'2" PN# D20R1002 12'2"
PN# D22R1300 PER FT "L" SHAPED ASTRAGAL RETAINER	PN# D22R1301 PER FT	PN# D20R1002 122 PN# D20R1004 14'2"
	PN# D20R0000 08'2"	Download Airlift Doors' Product Catalog Online!
PN# D20R1011 "L" 10'2" PN# D20R1012 "L" 12'2"	PN# D20R0001 10'2" PN# D20R0002 12'2" PN# D20R0004 14'2" PN# D20R0099 PER INCH	www.AirliftDoors.com

www.AirliftDoors.com

Toll Free: 1-888-368-4403

PAGE 22



MAGNAGLIDE Air Operator

The 2" *Magnaglide Air Opener* features direct connect operation and all *stainless steel* hardware.

Power.

Designed for carwash environments

- Never jump door cables
- Built in wiper seal to eliminate build up
- Completely sealed inner chamber
- Cushioned spring stop

Operator Packages Include:

- -2" Stainless steel cylinder
- Magnetic carriage
- -Magnetic piston
- -Stainless steel mounting brackets
- -Stainless steel fasteners
- -Pusher cylinder kit



Exclusive.

The Magnaglide Air Opener is manufactured by AIRLIFT DOORS, INC.

Horizontal or Vertical mounting available

3 YEAR UNCONDITIONAL WARRANTY!

We take pride in the quality of our products and will guarantee that no other manufacturers stand behind their products and warranties like we do.





MAGNAGLIDE COMPLETE CYLINDERS HORIZONTAL MOUNT INCLUDES ALL BRACKETS & HARDWARE

PN# 003R2111OPERATOR MAGNAGLIDE HORIZONTAL 8'PN# 003R2135OPERATOR MAGNAGLIDE HORIZONTAL 10'PN# 003R2159OPERATOR MAGNAGLIDE HORIZONTAL 12'PN# 003R2183OPERATOR MAGNAGLIDE HORIZONTAL 14'

CONSULT FACTORY FOR CUSTOM SIZES. FOR USE ON DOOR WITH MAXIMUM 12' HIGHLIFT.



MAGNAGLIDE HORIZONTAL CYLINDER ONLY INCLUDES CYLINDER & CARRIAGE

PN# 007R2111	8' CYLINDER NEW
PN# 007R2135	10' CYLINDER NEW
PN# 007R2159	12' CYLINDER NEW
PN# 007R2183	14' CYLINDER NEW


PN# 007R2211 8' CYLINDER REBUILT PN# 007R2235 10' CYLINDER REBUILT PN# 007R2259 12' CYLINDER REBUILT PN# 007R2283 14' CYLINDER REBUILT

REBUILT CYLINDERS AVAILABLE IN LIMITED QUANTITY ONLY. CONSULT FACTORY BEFORE ORDERING.



MAGNAGLIDE

MAGNAGLIDE COMPONENTS - HORIZONTAL MOUNT



MAGNAGLIDE




MAGNAGLIDE COMPLETE CYLINDERS VERTICAL MOUNT INCLUDES ALL BRACKETS & HARDWARE

PN# 005R2104 OPERATOR MAGNAGLIDE VERTICAL 8'

PN# 005R2129 OPERATOR MAGNAGLIDE VERTICAL 10'

CONSULT FACTORY FOR CUSTOM SIZES AND MINIMUM HIGHLIFT REQUIREMENTS.



MAGNAGLIDE VERTICAL CYLINDER ONLY INCLUDES CYLINDER & CARRIAGE

PN# 007R2104 8' CYLINDER NEW PN# 007R2129 10' CYLINDER NEW PN# 007R2204 8' CYLINDER REBUILT PN# 007R2228 10' CYLINDER REBUILT

REBUILT CYLINDERS AVAILABLE IN LIMITED QUANTITY ONLY. CONSULT FACTORY BEFORE ORDERING.

PAGE 27


Toll Free: 1-888-368-4403

www.AirliftDoors.com



MA GNA Operator

MAGNAGLIDE COMPONENTS - VERTICAL MOUNT



24/7 Technical Assistance

Our customers are important to us and we are there to assist them in every way with technical support available 24 hours a day, 7 days a week.

Support

Toll Free: 1-888-368-4403

Download PDF support guides for most of the products offered by Airlift Doors, Inc.

Glok on the links below to download PDF support guides for most of the products offered by Artift Doors, Inc. Technical support is a available 24 hours a day. 7 days a week by calling tall free 1-886-398-4403.

Troubleshooting

troutmenteeting the Magnapilite Air Opener and 1915 Extreme Rolf Up Series.

ARE Traublestanting

CAD Drawings CAD Drawings Converse CAD drawings of Auth Pro-Can a to a conversion of Auth Pro-Auth Pro-Can a to a conversion of Auth Pro-Auth Pro-Can a to a conversion of Auth Pro-Auth Pro-Auth

www.AirliftDoors.com/support

Power, Performance, Proven POWERGLIDE



Exclusive design to Airlift Doors.

3 YEAR UNCONDITIONAL WARRANTY!



The Powerglide Air Operator has powerful features. - Direct drive operation - Rated for doors up to 16 ft. high - Adjustable speed

Performance.

The ideal opener for car wash environments.

- Never jump door cables
- Unconditional 3 year warranty
- Hardcoat aluminum construction
- Stainless steel hardware
- Built in cushion for smooth operation



The Powerglide Air Operator

is available in custom sizes.

Over 10 years in operation in the auto care industry. Thousands of customers prefer the Powerglide for their car washes. Powerglide Air Operators are efficient and low maintenance.

We take pride in the quality of our products and will guarantee that no other manufacturers stand behind their products and warranties like we do.





POWERGLIDE CYLINDERS COMPLETE WITH BRACKETS HORIZONTAL MOUNT

	and a second		
	PN# 008R2109	OPERATOR POWERGLIDE H	ORIZONTAL 8'
	PN# 008R2130	OPERATOR POWERGLIDE H	ORIZONTAL 10'
	PN# 008R2154	OPERATOR POWERGLIDE H	ORIZONTAL 12'
	PN# 008R2178	OPERATOR POWERGLIDE H	ORIZONTAL 14'
		POWERGLIDE CYLINDER ONLY	(
	PN# 008R11 PN# 008R11		Contraction of the Contraction o
	PN# 008R11 PN# 008R11		
POWERGL	DE BRACKET KIT	POWERGLIDE CYLINDER REPAIR KIT (BAND SEAL, CABLES, ALL SEALS)	POWERGLIDE CARRIAGE REPAIR KIT
L	transformer.		

PN# 009R2000

PN# O09R1003-1006 CONSULT FACTORY BEFORE ORDERING CO

CONSULT FACTORY BEFORE ORDERING


PN# 009R1018

P



POWERGLIDE Air Operator

POWERGLIDE AIR OPERATOR SPECIFICATIONS - HORIZONTAL MOUNT



Air Operator Effective, Economical, Established

The standard air operator features high speed operation and is ideal for highlift doors.

Economical.

Designed by Airlift Doors specifically for car wash environments.

This air operator has corrosion resistant components and can withstand corrosive environments.

Established.

Our standard air operator has been in operation for over 30 years, making it one of the most reliable in the industry with the convenience of being field repairable and rebuildable.



We take pride in the quality of our products and will guarantee that no other manufacturers stand behind their products and warranties like we do.









Toll Free: 1-888-368-4403






ORIGINAL AIR OPERATOR COMPONENTS

PARTS DIAGRAM

- 1- PN# 002R2401-2409 RETAINING ROD
- 2- PN# 002R2501-2509 ALUM. TUBE
- 3- PN# 002R9506 O-RING
- 4- PN# O02R9210 CHECKBALL
- 5- PN# O02R9202 BOTTOM CAP
- 6- PN# D17R1402 1/4" NUT
- 7- PN# O02R9209 BREATHER VENT
- 8- PN# O02R9211 METERING SCREW
- 9- PN# O02R9301 BOTTOM MTG BRACKET
- 10- PN# O22R1101 3/8 x 1/8 SW AIR FITTING
- 11- PN# O02R9509 PISTON ROD SEAL (2)
- 12- PN# D17R2116 CHAIN GUIDE BOLT
- 13- PN# O02R9102 PISTON ROD COLLAR
- 14- PN# O02R9405 CHAIN ROLLER SLEEVE
- 15- PN# D17R1401 1/4" LOCK NUT
- 16- PN# O02R9404 CHAIN ROLLER
- 17- PN# O02R9401 CHAIN GUIDE BRACKET
- 18- PN# O02R9304 TOP MTG. BRACKET
- 19- PN# O02R2410 RETAINING ROD NUT
- 20- PN# O02R9207 TOP CAP BRASS NUT
- 21- PN# 002R9206 TOP CAP
- 22- PN#002R2201-2209 PISTON ROD
- 23- PN#O02R9203 PISTON BODY
- 24- PN# 002R9508 U-CUP SEAL
- 25- PN# O02R9402 BRACKET BOLT
- 26- PN# O02R9510 SEAL RETAINER







Airlift Doors offers a wide variety of control options designed to meet the needs of any application.

The many styles we have available all feature:

- WATERPROOF ENCLOSURES
- HEAVY DUTY FILTER REGULATOR
- HINGED COVER WITH SS SCREWS
- PUSH LOCK AIRLINE FITTINGS
- 24 VAC OPERATION
- ETL & CETL APPROVED











OPEN/ CLOSE WITH EMERGENCY OPEN



Standard waterproof control boxes can be mounted in the bay or in the equipment room. A heavy duty filter regulator comes standard with each box. The emergency open feature allows you to open the door pneumatically in case of a power failure.

PN# O13R1600 ACCEPTS 24V INPUT

PN# O13R1620 ACCEPTS 110V INPUT

OPEN /CLOSE WITH EMERGENCY OPEN & LIGHTED BUTTONS



Lighted control boxes show you when a signal is being sent to the open or close terminal by lighting up the corresponding button. The self diagnostic toggle switch allows you to eliminate wash or photo eye signals to determine the source of a constant up or down signal.

PN# 013R1610





Toll Free: 1-888-368-4403





MULTI -DOOR CONTROL BOX



Have a centralized control box for all of your doors. Multi-door control boxes mount in the equipment room and come standard with power toggle switches. Add a timer with toggle switches for complete control of your doors.

> PN# O14R1341 CONTROL MULTI 4 DOOR ETL PN# O14R1351 CONTROL MULTI 5 DOOR ETL PN# O14R1361 CONTROL MULTI 6 DOOR ETL

CLOSING TIMER AVAILABLE, SPECIFY PER DOOR QUANTITY.

CONTROL WATERPROOF BUTTON W/ EYES

Multi-Door &

Accessory Boxes

A waterproof two button control box with eyes is mounted in the bay when you have a multi-door control box or standard control boxes mounted in the equipment room. This box offers you button control in the bay and allows you to wire your eyes to this box rather than running wires into the equipment room.



PN# 015R1003

AUTOMATIC DOOR CLOSING KIT



Automatically close your door after each vehicle with an automatic door closing kit and photo eyes. The photo eyes will recognize when the vehicle has left the bay and activate the timer to close the door. Mounts in the bay and has a toggle switch to turn the timer off if not desired. The box with toggle switch is not recommended for self serve bays.

A remote emergency open kit allows you to open your doors pneumatically in case of a power failure. This kit is used when you have a multidoor box or standard control box mounted in the equipment room and want an emergency open button in the bay. (Additional fittings are required to tap into your existing valve. Please consult factory when ordering.)





PN# 015R1013

NEMA 4-2 BUTTON STATION



Place a two button control box anywhere for open and close control of your door.

PN# 015R1009








MCGANN LOOP KIT Loop detector kit opens/closes door based on presence of vehicles.	LOOP DETECTOR	LOOP DETECTOR HARNESS
PN# 019R1100	PN# 019R1101	PN# 019R1003
EMX LOOP WIRE 2' x 6'	REMOTE RECEIVER 2 CHAN DR 2	REMOTE TRANSMITTER 2 CHAN DT2A
	#DR2	
PN# 019R1006	PN# 019R2015	PN# 019R2016

LIMIT SWITCH COMPLETE



PN# O18R5002 LIMIT SWITCH COMPLETE







ACCESSORIES Control Box Components

Image: Section 1Image: Section 2Image: Section 2Image	MOELLER CONTACT BLOCK N/O W/BASE	BUTTON EMERGENCY CONVERSION KIT	
PN# 016R1303 K10 PN# 016R1304 KC10 PN# 016R1005 OPEN LENS PN# 016R1002 BUTTON ONLY PN# 016R1003 TELEMACANIQUE CONTACT BLOCK N/O WITH BASE RELAY 24Y W/SOCKET TRANSFORMER 120V-24Y Image: Control of Con		OPEN CLOSE	
BLOCK N/O WITH BASERELAY 24V W/SOCKETTRANSFORMER 120V-24VImage: Strain S		PN# O16R1005 OPEN LENS	OPEN
Image: Constraint of the sector of the sec		RELAY 24V W/SOCKET	
PN# 016R1305 ZBE101PN# 019R6000 RELAYPN# 016R1623TOGGLE SWITCHAdd a toggle switch to your control box as an on or off switch for power, timers, or other signals.Image: Colspan="2">Image: Colspan="2">Colspan="2"PN# O19R4001TOGGLE SWITCHPN# O19R4001TOGGLE SWITCH	A MO A ANTO YOUR		
Add a toggle switch to your control box as an on or off switch for power, timers, or other signals. PN# 019R4001 TOGGLE SWITCH RUBBER BOOT FOR TOGGLE SWITC	PN# 016R1305 ZBE101		PN# 016R1623
control box as an on or off switch for power, timers, or other signals. PN# 019R4001 TOGGLE SWITCH PN# 019R4004 RUBBER BOOT FOR TOGGLE SWITCH	TOGGLE	SWITCH	
PN# O19R4001 TOGGLE SWITCH 1 - 180 sec. PN# O19R4004 RUBBER BOOT FOR TOGGLE SWITCH 1 - 180 sec.	control box as an on or off switch for power, timers,	000	time out and close the door after any open signal is received.
	PN# O19R4001 TOGGLE	SWITCH	
PN# O19R4003 ON/OFF PLATE FOR TOGGLE SWITCH PN# O19R3000		and the second states of the second states of the	
	PN# 019R4003 ON/OFF	PLATE FOR TOGGLE SWITCH	PN# 019R3000



ACCESSORIES



PNEUMATIC VALVE 2 POSITION PARKER	PNEUMATIC VALVE 2 POSITION AUTOMATIC	PNEUMATIC VALVE 2 FOR MULTI BOX
This valve is the same for a single control box or multi-door box.	60	200
PN# 016R1500	PN# O16R1501	PN# 016R1502
INLINE AIRLINE DRYER	DRYER FLOAT DRAIN	REGULATOR SMC COMPLETE
PN# 017R1000	PN# 017R1006	PN# 017R3001
FLOW CONTROL FOR CONTROL BOX	OILER CKD L3000	LUBE CYLINDER 1 QT
		AN CYLINGEN ACLANT ACLANT ANUT COORS ANUT COORS
PN# O16R1602 EACH	PN# 017R2001	PN# D24R1004

PAGE 41

Toll Free: 1-888-368-4403





PHOTO EYES


RECOMMENDED FOR ALL CONTROL PACKAGES.

INSTANTLY REVERSE THE DOOR WHEN OBSTRUCTED.

ALL PHOTO EYES ARE CARWASH RATED AND BUILT TO WITHSTAND SOAP BUILDUP, FOG, STEAM, SUNLIGHT, AND HIGH WATER SPRAY.

HOLDS DOOR OPEN WHILE SAFETY EYES ARE BLOCKED.

AIRLIFT DOORS PROUDLY OFFERS: CARLO GAVAZZI, TELCO AND BANNER PHOTO EYES.



www.AirliftDoors.com

Toll Free: 1-888-368-4403

PAGE 42






CARLO GAVAZZI PHOTO EYES

3 YEAR WARRANTY

EASY ALIGNMENT · 150' SENSING RANGE · SELF DIAGNOSTIC AMPLIFIER 50' LEAD WIRE · 24 VAC/DC



PN# O18R1001 SAFETY EYE KIT CARLO GAVAZZI



Airlift doors, inc.	ACCES	SSORIES
FITTING ELBOW 3/8" x 1/4" NPT	FITTING ELBOW 3/8" x 1/8" NPT	FITTING ELBOW 3/8"
PN# 022R1100	PN# 022R1101	PN# 022R1102
FITTING STRAIGHT 3/8" x 1/4" NPT	FITTING STRAIGHT 3/8" x 1/8" NPT	FITTING TEE 3/8"
PN# 022R1103	PN# 022R1104	PN# 022R1105
FITTING UNION 3/8"	AIRLINE 3/8" PER FOOT	OPERATOR INSTALL KIT
PN# 022R1106	PN# 022R1002	PN# 022R1004
www.AirliftDoors.com	Toll Free: 1-888-368-	4403 PAGE 44





DX-2 LOW INTENSITY SINGLE STAGE STAINLESS STEEL HEATER


The energy-saving gualities of infrared heating can now be applied in many wet, contaminated or harsh environments with the -SS Series of Stainless Steel Tube Heaters for Re-Verber-Ray.

Heater components are totally enclosed in a moisture resistant silicone sealed stainless steel control housing.


PN# H01DX2-SS20 HEATER DX2 SS20' 75,000 BTU N/P PN# H01DX2-SS30 HEATER DX2 SS30' 100,000 BTU N/P PN# H01DX2-SS40 HEATER DX2 SS40' 125,000 BTU N/P PN# H01DX2-SS50 HEATER DX2 SS50' 150,000 BTU N/P PN# H01DX2-SS60 HEATER DX2 SS60' 150,000 BTU N/P

MODEL NO.	MOUNTING ANGLE*	FRONT	BEHIND	TOP	BELOW
DX2 (20, 30, 40) - 50, 60 [N.P]	0°	9	9	6	47
and composition and configuration	459	39	8	10	47
W/1 side shield	0"	29	8	6	47
W/2 side shields	0" 0"	9	9	6	
20 ft. from burner	0	7	7	6	47
DX2 (20, 30, 40) - 75 [N.P]	0°	9	9	6	60
and a a more dealers of the American	45"	39	8	10	60
N/1 side shield		29	B	6	60
N/2 side shields	0°	9	9	6	60
20 ft. from burner	0*	7	7	6	60 30
DX2 (20, 30, 40) - 100 [N,P]	0*	14	14	6	66
	45*	39	8	10	66
N/1 side shield		29	8		
N/2 side shields	g	16	16		
20 ft. from burner		1 7	7	6	
DX2 (30, 40, 50) - 125 [N,P]			20		
	45			10	
N/1 side shield	0°*	42			
N/2 side shields					
20 fl. from burner DX2 (40, 50, 60) - 150 [N.P]	0°	24	24	6	30
VYE 140, 20, 801-130 [N.F]	45	58		6 10	81 81
W/1 side shield		42	8	A A	81
V/2 side shields	0	23	23		81 81 44
0 ft. from burner	······	1			44


DX2 CLEARANCES TO COMBUSTIBLES (IN INCHES)



45° Mounting Angle







0° W/ 2 Side Shields



* Heaters mounted on an angle between 0° and 45° must maintain clearances posted for 0° or 45°; whichever is greater.

PRODUCT SPECIFICATIONS

BTU 75,000 - 150,000 Gas Type Natural or Propane Tube Lengths 20 ft. - 60 ft. Combustion Tube 4" dia. Black Coated SS Radiant Tubes 4" dia, Black Coated SS Certification IAS, CGA, AGA, Outdoor Approval U or L Configuration Warranty 1-5-10 (Components-Tube-Burner)

PRODUCT FEATURES

Coated 409 or 304 Stainless

Watertight Electrical Connection

304 Stainless Burner Assembly

Silicone Sealed Construction

Stainless Steel Hanging Accessories

Silicone Carbide Hot Surface Ignition

Stainless Steel 24" Pvc Coated flex connector

PAGE 45





DR HEATERS - COMPLETE

HIGH INTENSITY, GAS FIRED, UNVENTED INFRARED HEATERS

The DR Series is commonly used in areas with high air infiltration, high ceilings and/or spot heating applications. The DR Series is available in a multitude of configurations, ranging from 30 to 160 MBTU/H with 3 different control options.

The DR Series of infrared heaters is ideal in applications where unvented high intensity heat offers design benefits or is preferred.

The DR Series is also ideal for unvented spot heating applications.

NOT FOR USE IN CARWASH BAYS.

STANDARD FEATURES:

- 5 year limited ceramic burner warranty.
- Exclusive Re-Verber-Ray ceramic burner provides maximum conversion to infrared radiation.
- Design A.G.A. Certified, U.L. Listed, accepted by F.I.A. and F.M.
- 3 different heater control systems from manual to solid state ignition.
- Lower installation cost through compact modular heater design.
- Rugged non-corrosive materials in heater construction.
- Proven design, over 2,000,000 burners in use.
- Select high temperature, Re-Verber-Ray-tor rods increase heater temperature and efficiency.

MODEL NO.	SIDES	BACK	TOP B	ELOW
DR 30	30	18	28	72
DR 30(5)	30	18	28	72
DR 60	32	18	40	72*
DR 75	48	30	42	98

TO SOLE LEVEL CLEARANCES TO

VIEW



Model Number Format. DR (BTU) (Gas Type) (Ignition Type) (Voltage). Example DR 60 NFS-2 120V

N= Natural Gas, P= Propane Gas

NMV-2/PMV-2= Manual Ignition, Constant Pilot, 100% Shutoff, Self Energizing. Includes RK-130 T-Stat and 35' of wire MV Models are NOT for use in high wind applications

NFS-2/PFS-2= Direct Spark Ignition, 100% Shutoff. Specify 24V or 120V

Note: Circuit boards are potted on all models

Ceramic high temperature infra-red generator

> Stainless steel Re-Verber-Ray-tor rods

> > Solid radiation area over 68%

> > > 》《书

Bright polished aluminum reflector

PN# H05DR-30 PN# H05DR-60 PN# H05DR-75 PN# H06DRCS

Direct spark or pilot ignition

> HEATER DR 30,000 BTU HEATER DR 60,000 BTU HEATER DR 75,000 BTU HEATER DR CHAIN SET






THERMOSTAT RAIN TIGHT		4" INLET W/BIRDSCREEN		4" ROOF TOP VENT PACKAGE Interior venting not included.		
PN# H02TF-115		PN# H0	2WIV-4	F	PN# H02RTVP-4	
STAINLESS STEEL CHAIN		4" TUBE HANGER		HEATER REFLECTOR BRACKET		
TUBE COUPLER	GLO-B	AR IGNITER	HEATER 180° U PACKAG		HEATER 90° ELBOW PACKAGE	
PN# H02TP-220 4" SS	PN#	H02TP-50	PN# H02RUF	P-SS	PN# H02REP-SS	
PAGE 47	Tal	Free: 1-888-36	9 4402		Mana AirliftDoors com	

Toll Free: 1-888-368-4403



Important Information...

In this section Airlift Doors has included all of the important information that is necessary when ordering doors & openers.




TERMS & FORI





ALASKA DOOR WITH SPRINGS SHOP DRAWING




PAGE 49

Toll Free: 1-888-368-4403









Toll Free: 1-888-368-4403






ALASKA DOOR ENGINEERING FORMS

Please complete this form and return it to your sales representative so we can properly quote or engineer your order. Please measure carefully and remember to note any objects that may be in the path of the overhead door travel.

Orders may not be engineered before the receipt of this form.



PLEASE CIRCLE ONE ENTER / EXIT / BOTH DOORS If any measurements vary please fill out a measurement form for each door opening.

A: FIN	ished Opening Width
B: Fini	shed Opening Height
C:Lef	t Sideroom
D: Rig	ht Sideroom
E1:He	adroom to Obstacle
H:B	ackroom to Obstacle
E2: H	eadroom to Ceiling
F:Equ	ipment Height
G: Bad	kroom
J: If ba	allards exist please provide measurment
from b	allard to wall
Jamb	Material: WOOD / CONCRETE / STEEL
OR	Please Specify ANGLE IN / OUT
Ceilin	g Material
	Material
Buildi	ng Type: BLOCK TIN WOOD
	OTHER:

full responsibility for all information supplied on

Reference Quote #____

Signed by:_

this form.

Date






ALASKA DOOR CONVEYOR CUTOUT

SINGLE CONVEYOR CUT-OUT DIAGRAM **View of section is from inside the bay looking out.**

Fill in measurements for one side for a single conveyor cutout Fill in all measurements for a double conveyor cutout



**NOTE: The door section will generally be 2" wider than the door opening itself and will overlap each edge by 1". Please factor this extra 1 inch into your measurement for letters A and D.


A:	Measurement from edge of door to edge of cut out	D:
B:	Height of cut out	E:
C:	Width of cut out	F:
gning below I un	derstand that the conveyor cut-out will be made	

exactly to these measurements I have provided.

SIGN HERE:_








MAGNAGLIDE HORIZONTAL SHOP DRAWING






MAGNAGLIDE VERTICAL SHOP DRAWING











Product Warranty



All components of our door packages are covered for a minimum of one year. Please see individual product breakdowns for individual part warranties. No parts will be accepted to the factory as a return without a Return Goods Authorization from Airlift Doors. The RGA # must be written on the outside of the box when returned. No freight or labor will be paid on any warranty parts unless pre-arranged and approved by Airlift Doors, Inc.

DOOR SECTIONS -

Polycarbonate	7 Year
Aluminum Rails	7 Year
End Stile & Center Stile	7 Year
Section Fasteners	7 Year

For questions or to request a return goods authorization, call us toll free at 1-888-368-4403.

DOOR HARDWARE OPTIONS

Galvanized Hinges	1 Year	Standard Drum	1 Year
Plastic Hinges	5 Year	E- Coat Drum	3 Year
Stainless Steel Hinges	5 Year	Stainless Steel Cable	1 Year
Galvanized Track	1 Year	Standard Bearings	1 Year
Plastic Track	5 Year	Stainless Steel Bearings	3 Year
Stainless Steel Track	7 Year	Strapeze Strap	2 Year
Galvanized Shaft	1 Year	Strapeze Counterbalance Parts	2 Year
Stainless Steel Shaft	3 Year	Strapeze Weights & Hubs	10 Year
Superglide Bearingless Rollers	5 Year	Torsion Springs	1 Year
Superglide Sealed Bearing Rollers	3 Year	(Or cycle limit)	
Steel Rollers	1 Year		

ORIGINAL AIR OPERATORS

Complete Opener	1 Year	Tubes, Rods, & Brackets	10 Year	
Seals, Caps, & Fittings	1 Year	Chain, Sprocket, Turnbuckle	1 Year	

MAGNAGLIDE AIR OPERATORS —

Complete MagnaGlide Horizontal	
Complete MagnaGlide Vertical	
Pusher Cylinder Kit	

POWERGLIDE AIR OPERATORS -

Complete Powerglide Operator

CONTROLS & ACCESSORIES -

CONTRACTOR OF THE GROUP	2		
Control Boxes Complete	1 Year	Filter Regulator	1 Year
Automatic Valves	1 Year	Automatic Oiler	1 Year
Parker Valves	1 Year	Inline Dryer	1 Year
Valve Coils	7 Year	All Air Fittings	1 Year
Air Fittings	1 Year	Loops & Loop Detectors	1 Year
Photo Eyes Telco	3 Year	Limit Switch	1 Year
Photo Eyes Carlo Gavazzi	3 Year	Closing Timers	3 Year
HEATERS			
All Heater Components	1 Year	Burner	10 Year
Heater Tubes	5 Year		

3 Year

3 Year

1 Year

3 Year





TO ALL CREDIT APPLICANTS:

Thank you for your interest in Airlift Doors, Inc.

We accept Visa, Mastercard, American Express, or Discover credit cards. A net 30 day open account is available once a credit application has been processed. In order to process your application in a timely manner, please be sure to follow the guidelines below. C.O.D. shipments are also available

- 1. Contact Airlift Doors for a credit application.
- All business information as well as the social security number of the person responsible for setting up the account must be provided to process the application.
- 2. Note the amount of credit you want.
- List three trade references that have allowed you as much credit as you are requesting from us.
- 4. List at least one bank reference.
- Be sure to list account, phone, and fax numbers. Without them, your order processing will be delayed.
- Be sure to include a copy of your Minnesota Certificate of Resale. Without the certificate on file, you will be charged sales tax for any shipments made within Minnesota.
- Completely fill out the Taxpayer Identification Number Certificate. (W-9) We are required yearly to have a current form on file for all customers.
- 8. Sign and date the terms of agreement and personal responsibility acknowledgement.

FIRST TIME CUSTOMERS HAVE THE FOLLOWING OPTIONS:

- 1. Pay by Visa, Mastercard, American Express or Discover
- 2. Submit a check for the full amount sent to us prior to shipping or installation
- C.O.D -- Cash on Delivery. UPS and freight shipments have an additional charge. Charges vary so please consult with Airlift for pricing options when requesting a C.O.D shipment.
- Freight charges to be freight collect.

Please call with any questions or to check the status of your order.

Toll Free: 1-888-368-4403







Company Name:			
Billing Address:		Shipping Address:	
Phone:		Fax:	
Circle One:	Sole Proprietorship	Corporation	Partnership
Purchasing Contact:		Accounts Payable:	
Federal Tax ID #:		Signer's SSN #:	
Trade References:	#1	#2	#3
L			

Terms: All orders are invoiced at the time of shipment. Balance on all orders is due in 30 days, subject to a 1.5% finance charge per month on any unpaid balance over 30 days.

I hereby authorize the above named firms to furnish information requested by Airlift Doors, Inc. to process this application. I also, in imy individual capacity (even though I may place a title or other designation next to my signature), unconditionally guarantee and promise to pay to Airlift Doors, Inc. all indebtedness arising from or relating to this application, and any and all collection fees or costs associated with collection of said debt.

Signature:	Date:		
Print Name:	Title:		
www.AirliftDoors.com	Toll Free: 1-888-368-4403	PAGE 58	

TERMS

Conditions



The following terms are general terms and conditions of sale and shipment. All conditions of sales are subject to change and are valid as determined by the latest terms and conditions printed by Airlift Doors, Inc. (referred to herein after as The Company).

 Quotations: All quotations are only valid if written by an authorized representative of The Company. Written quotations are valid for 30 days unless terminated sconer by notice. Quotations are based solely on information provided by our customers or our interpretation of plans provided. It is the responsibility of the purchaser to verify that the information is correct.

2. Acceptance of orders: Orders may be placed through the following means: a) Purchaser may sign a written quote provided by The Company.b) Purchaser may issue a purchase order to The Company with a signature of person verifying the order. c) Orders may be placed verbally if the amount is equal to or less than \$1,000.00. However, it is the responsibility of the purchaser to get a verbal confirmation from The Company deeming the information accurate. All orders must include, at a minimum, the following information: Completed measurement sheet provided by The Company (for all door and operator orders), a detailed description of all products ordered, quantity of items, price, requested delivery date, and shipping instructions. All orders are subject to final acceptance by The Company and are subject to The Company's terms and conditions in effect at the time of acceptance.

 Change Orders: All change orders must be in writing and a signed revised quotation is required for all orders containing a complete door, operator, or heater package.

4. Terms-Regular: Terms to purchasers of satisfactory credit are: 30 days net from the date of invoice. Cash discounts, when applicable, are noted on the face of The Company's invoice. All new customers must include credit references with the first order and will be required to send a certified check, money order, or provide a credit card (Visa and Master Card are accepted) before order will be shipped. Finance charges of 1-1/2% will apply per month for all past due invoices. NSF checks will be charged a \$30.00 service fee. We reserve the right to withhold shipments/deliveries should any invoice go beyond our specified terms.

Special Order Product: All special order product (deemed as any product not stocked by The Company) will require a 50% down payment before any product may be ordered or manufactured by The Company. Special orders are non cancelable and non returnable.
Pricing: All prices are F.O.B. Factory, (Minneapolis, Maple Lake or Vendor Facility). All prices shown in price lists are list prices in US Dollars and are subject to current discount rates. Customers are responsible for any and all bank charges associated with remitting payment. Prices are subject to change without notice.

7. Minimum Billing: Orders amounting to less than \$25.00 will only be accepted if charged to a current credit card.

8. Shipping Terms: All shipments are FOB Factory, (Minneapolis, Maple Lake or Vendor Facility). The Company may ship via UPS or common carrier depending on the size and weight of the product. All orders will be assessed a charge for basic commercial packaging. Customers may also request special packaging at an additional charge. Export packaging will be charged at an additional rate based on the requirement and the purchaser is responsible for any applicable export license and all associated costs involved with said license on any export project.

9. Return Goods: No product will be accepted without an RGA # authorized by The Company. Warranty returns will be inspected and credited or replaced at the discretion of The Company. Any new items that are returned within 30 days will be accepted with a 15% restocking fee. Purchaser is responsible for cost of shipping and insurance on any products returned. Credits will be issued at the price paid when the product was sold less any shipping charges associated with the return and applicable restocking fee.

10. Responsibility and Title: Title in the product shall remain with The Company as security only and until full payment is received by The Company. Risk of loss for the product shall pass to the purchaser upon shipment from F.O.B. point of shipment.

11. Cancellation of Orders: Prior to shipment, all orders other than special orders may be cancelled. However, purchaser will be responsible for any engineering, production, packaging, or staging costs involved with the order until the date that The Company is notified in writing of the cancellation.

12. Freight Damage or Loss: It is the responsibility of the purchaser to inspect the product received for accurate piece counts or any visible damage. In case of damage or shortage, the purchaser should note the information on the bill of lading and immediately file a claim with the shipping company.

13. Warranty: See individual product warranties. The Company will assume no responsibility for any labor charges unless agreed upon in writing in advance. The Company's liability with respect to this agreement or the sale of the product shall be limited to the amount paid by the purchaser for the products.

14. Force Majeure: The Company shall not be liable for any delays in shipment or damage to product caused by fire, flood, accident, riots, sabotage, governmental interference, strikes, or any other causes beyond The Company's control.

 Lead Times: General lead times for stock items are as follows: 1) Parts orders may ship same day if received by The Company before 2:00 P.M. Central Time. Next Day Air or other rush services are available upon the request of the purchaser for additional charges.
Door and operator packages typically will ship within 1-2 weeks of receipt of the order and measurement form. Rush orders constitute anything under a week and may require an additional 5% fee depending on current shipping schedules.

16. Laws of Minnesota: The Customer agrees that all transactions between the Company and the Customer will be governed by the laws of the State of Minnesota and any dispute arising from this relationship will be litigated exclusively in state court in Hennepin County, State of Minnesota. The Customer consents to the jurisdiction of Minnesota court. In the event that it becomes necessary for the Company to institute suit or otherwise incur collection costs to collect any amount due by to the Company by the Customer, the Customer agrees to pay those costs of collection, including reasonable attorneys fees.

GUARANTEED - (GUAR-AN-TEED)

GUARANTEED that we stand behind our warranties.

JAMANTEED shortest lead times in the industry GUARANTEED shortest lead tors and opened

VERB -

ATTESTS TO THE QUALITY OR DURABILITY OF A PRODUCT OR SERVICE.

AIRLIFT DOORS, INC.

A

Contact our experienced sales team today and see what Airlift Doors, Inc can offer you!

1-888-368-4403 www.AirliftDoors.com

www.AirliftDoors.com Email: sales@airliftdoors.com Toll Free: 1-888-368-4403 Fax: 612-588-7660




12718 E Indiana Ave Spokane, WA 99216 (509) 921-2260 • (509) 921-5099 Fax

wwww.continentaldoorco.com

AIRLIFT DOORS, INC.

AJ.

For more information on our other products and catalogs, please call or visit our website!



ENTRANCE

